

Central Intelligence Agency



Washington, D.C. 20505

26 APR 1984


Smith, Hinchman & Grylls Associates, Inc.  
455 West Fort Street  
Detroit, Michigan 48226

Attention: Mr. Lewis Howie

Gentlemen:

Enclosed is T64's information for sinks within their  
area. If you need additional information, please call.

Sincerely,

  
New Building Project Office  
Office of Logistics

Enclosure

OL/NBPO,  (26 Apr 84)

Distribution:

Orig - Adse (w/encl)

1 - OL/NBPO (w/encl)

**ROUTING AND RECORD SHEET**

SUBJECT: (Optional)

STAT  
STAT

FROM:

OTS/RMPS

EXTENSION

NO.

DATE

24 April 1984

STAT  
STAT

TO: (Officer designation, room number, and building)

DATE

OFFICER'S INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

RECEIVED

FORWARDED

1.

OL/NBPO  
3 E 40 Hqs

2.

3.

STAT

4.

5.

6.

7.

8.

9.

Attached is info on sinks.  
Hope it is what you want. If not,  
let me know and we'll try again.

10.

11.

12.

13.

14.

15.

SINKSGAD

Press Room - Janitor Type - Deep

Bindery - Janitor Type - Deep

Art Room - Janitor Type or Regular - Deep

35mm Room - Temperature controlled, photo darkroom sink, Kreonite,  
(currently have Model 2465)

Enlarger - Temperature controlled, photo darkroom sink, Kreonite  
(currently have stainless steel Oscar Fisher Md1 5-733)

Contact Print - Temperature controlled, kreonite

Camera (7) - Temperature controlled, kreonite

Die Sinking - Stainless steel, flat bottom

Materials Lab - Lab type which is part of the molded resin counter top.

Offset - Special sink made for offset platemaking

Photoengraving - Two separate sinks. Can be fiberglass photo type. Don't  
need to be temperature controlled, but do need hot and  
cold water. Neutralizing tanks underneath

CID

Photo areas except black and white processing - Kreonite fiberglass,  
hot and cold mixing valves. Sinks have a deep well on one side. Chiller  
attached. Cabinets below.

Black and white processing area - same as above, but without the  
deep well on one side.

Chemical labs have sinks which are part of the molded resin counter  
tops.

TB - See Attached.

STAT

Approved For Release 2009/04/30 : CIA-RDP89-00244R000801800005-5

**Page Denied**

Next 1 Page(s) In Document Denied

Approved For Release 2009/04/30 : CIA-RDP89-00244R000801800005-5